

























CENTAURUS 70 - TECHNICAL SPECIFICATIONS

Norm	Norm	Value / Değer
Kullanım Sınıfı Class of Use	ISO 10874 EN 685	 23 - 34 - 43 Class
Toplam Kalınlık Total Thickness	EN ISO 24346 EN 428	 2.00 mm
Koruma Katmanı Wear Layer	EN ISO 24340 EN 429	 0.70 mm
Koruma Katmanı Wear Layer		PUR Guard
Aşınma Abrasion Group	ISO 10582	 Type I
Toplam Ağırlık Total Weight	EN ISO 23997 EN 430	 2543 g/m ²
Standart Enler Standard Width	EN ISO 24341 EN 426	 2 - 4 m
Standart Boylar Standard Length	EN ISO 24341 EN 426	 25 m
Boyutsal Sabitlik Dimensional Stability	EN ISO 23999 EN 434	 ≤ 0.40 %
Bükülme Curling	EN ISO 23999	 ≤ 8 mm
Renk Haslığı Light Stability	EN ISO 105 B02	 6
Kalıcı Ezilme Residual Indentation	EN ISO 24343-1 EN 433	 0.05 mm (norm ≤0,20mm)
Akustik Yalıtım Acoustic Insulation	EN 717/2	 Δ Lw 7 dB
Kaymazlık Direnci Slip Resistance	EN 13893	 DS
Kaymazlık Slip Restraint	DIN 51130	 R10 Class
Alev Almazlık Reaction to Fire	EN 13501-1	 Bfl-s1
Yerden Isıtma Underfloor Heating	EN 12524	 Uygun (Suitable)
Isı Direnci Thermal Resistance	ISO 8302	 0.014 m ² /Kw
Isı geçirgenliği Thermal Conductivity	EN ISO 10456	 0.25 W/(m.K)
Kimyasal Direnç Chemical Resistance	ISO 26987 EN 423	 Çok İyi (Very Good)
Statik Elektrik Static Electrical Propensity	EN 1815	 < 2 kV (anti-static)
Elektrik Direnci Electrical Resistance	EN ISO 10965	 10 ⁹ Ohm
Soyulma Direnci Peel Resistance	EN ISO 24345	 ≥ 50 N / 50 mm
Mobilya Ayağı Dayanım Furniture Leg Resistance	ISO 16581 EN 424	 Çok İyi (Very Good)
Tekerli Sandalye Dayanım Castor Chair Resistance	EN ISO 4918 EN 12529	 Very Good, Type W

